

SAFETY DATA SHEET

OSHA HCS (29 CFR 1910.1200)

SECTION 1: PRODUCT AND COMPANY IDENTIFICATION

Product identifier Trade Name Product Code

ICE BLASTER 16-IB

Relevant identified uses of the substance or mixture and uses advised against				
Identified Use(s)	Automotive De-Icing			
Uses Advised Against	None			
Company Identification	The Blaster Corporation 8500 Sweet Valley Drive Valley View, Ohio 44125			
Telephone	(216) 901-5800			
Fax	(216) 901-5801			
Website:	www.blastercorp.com			
Emergency telephone number	ChemTel 800 255 3924			

SECTION 2: HAZARDS IDENTIFICATION

Classification of the substance or mixture

OSHA HCS (29 CFR 1910.1200)

Label elements Hazard Symbol

Signal word(s)

Flam. Aerosol 1; Compressed dissolved gas; Acute Tox. 3; STOT SE 1; STOT RE 2



Hazard Statement(s)	Extremely flammable aerosol.
Hazaru Statemeni(S)	
	Contains gas under pressure; may explode if heated.
	Toxic if inhaled.
	Toxic in contact with skin.
	Toxic if swallowed.
	Causes damage to organs: Optic nerve, Central nervous system
	May cause damage to organs through prolonged or repeated exposure: oral, Kidneys.
Precautionary Statement(s)	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
	Do not spray on an open flame or other ignition source.
	Do not pierce or burn, even after use.
	Avoid breathing dust/fume/gas/mist/vapours/spray.
	Use only outdoors or in a well-ventilated area.
	Wear protective gloves/protective clothing/eye protection/face protection.
	Wash hands and exposed skin after use.
	Do not eat, drink or smoke when using this product.
Other hazards	Keep out of reach of children. Intentional inhalation of gas from the container may be fatal.



SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous Ingredient(s) *	% wt. *	CAS No.	Hazard classification
			Flam. Liq. 2; H225
Methanol	30 - 60	67-56-1	Acute Tox. 3; H301, H311, H331
			STOT SE 1; H370
Ethylene Chreek	2 - 10	107 01 1	Acute Tox. 4; H302
Ethylene Glycol		107-21-1	STOT RE 2; H373
Carbon Dioxide	1 - 3	124-38-9	Compressed dissolved gas; H280
		121000	Simple asphyxiant

Additional Information - None

* The exact percentage withheld as a trade secret in accordance with 29 CFR 1910.1200.

SECTION 4: FIRST AID MEASURES



Description of first aid measures	
Inhalation	Remove person to fresh air and keep comfortable for breathing. If breathing is labored, administer oxygen. If symptoms develop, obtain medical attention. Call a POISON CENTER/doctor if you feel unwell.
Skin Contact	IF ON SKIN: Wash with plenty of water. Get immediate medical attention. Take off immediately all contaminated clothing and wash it before reuse.
Eye Contact	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists, get medical advice/attention.
Ingestion	Do not give anything by mouth to an unconscious person. Get immediate medical attention. Rinse mouth. IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.
Most important symptoms and effects, both acute and delayed	If exposed or concerned: Get medical attention/advice.
Indication of any immediate medical attention and special treatment needed	IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.
SECTION 5: FIRE-FIGHTING MEASURES	

Extinguishing Media

-Suitable Extinguishing Media -Unsuitable Extinguishing Media	Extinguish with carbon dioxide, dry chemical, foam or waterspray. Do not use water jet.
Special hazards arising from the substance or mixture	Highly flammable vapour (flash point below 23°C).
Advice for fire-fighters	A self contained breathing apparatus and suitable protective clothing should be worn in fire conditions. Keep containers cool by spraying with water if exposed to fire.

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Keep away from heat/sparks/open flames/hot surfaces. – No smoking. Avoid contact with skin and eyes. Avoid breathing gas/spray.



Environmental precautions Prevent liquid entering sewers, basements and work pits. Methods and material for containment and cleaning up Cover spills with inert absorbent material. Transfer to a container for disposal or recovery. Reference to other sections None Additional Information None **SECTION 7: HANDLING AND STORAGE** Precautions for safe handling Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Avoid contact with skin and eyes. Use product in a well-ventilated area only. Do not use in confined spaces. Conditions for safe storage, including any incompatibilities Store locked up. Store in a well-ventilated place. Protect from -Storage temperature sunlight. Do not expose to temperatures exceeding 50°C/ 122°F. Keep container tightly closed. -Incompatible materials This product should be stored away from sources of strong heat or

Specific end use(s)

oxidizing chemicals. Automotive De-Icing

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Occupational Exposure Limits

		(8hr ⁻	TWA)	(STEL)		WA) (STEL)		
		PEL	TLV	PEL				
SUBSTANCE.	CAS No.	(OSHA)	(ACGIH)	(OSHA)	TLV (ACGIH)	Note:		
Methanol	67-56-1	200 ppm	200 ppm		250 ppm	None		
Ethylene Glycol^^	107-21-1				100 mg/m3 (ceiling)	Aerosol		
Carbon dioxide	124-38-9		5000 ppm		30,000 ppm			

^ACGIH® Notice of Intended Changes (2014) = 10 mg/m3 (8hr TWA); inhalable fraction and vapor.

Recommended monitoring method

NIOSH 2000 (Methanol); NIOSH 5523 (Glycols)

Exposure controls

Appropriate engineering controls

Personal protection equipment

Eye/face protection



Skin protection (Hand protection/ Other)



Respiratory protection



Thermal hazards

Ensure adequate ventilation.

Wear protective eyewear (goggles, face shield, or safety glasses).

Wear suitable gloves if prolonged skin contact is likely (Butyl rubber)

Normally no personal respiratory protection is necessary. In case of insufficient ventilation, wear suitable respiratory equipment. Check with protective equipment manufacturer's data.

Not normally required. Use gloves with insulation for thermal protection, when needed.



Environmental Exposure Controls

None known

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Appearance Color. Odor Odor Threshold (ppm) pH (Value) Melting Point (°C) / Freezing Point (°C) Boiling point/boiling range (°C): Flash Point (°C) **Evaporation Rate** Flammability (solid, gas) **Explosive Limit Ranges** Vapor pressure (Pascal) Vapor Density (Air=1) Density (g/ml) Solubility (Water) Solubility (Other) Partition Coefficient (n-Octanol/water) Auto Ignition Point (°C) Decomposition Temperature (°C) Kinematic Viscosity (cSt) Explosive properties Oxidizing properties

Aerosol spray Colourless Methanol / Alcohol-like Not available Not available ~ -50°C (-58°F) ~77°C (170°F) ~23°C (73°F) Not available Extremely flammable 6.7% - 36.0% v/v (Methanol) Not available 1.11 (Methanol) Not available. Miscible Not available Not available Not available Not available Not available Not explosive. Not oxidizing.

Not available

SECTION 10: STABILITY AND REACTIVITY

Reactivity Chemical stability Possibility of hazardous reactions Conditions to avoid

Incompatible materials

Other information

Hazardous decomposition product(s)

Stable under normal conditions. Stable. None anticipated. Avoid contact with heat and ignition sources.

This product should be stored away from sources of strong heat or oxidizing chemicals.

Carbon monoxide, Carbon dioxide, Other, Acrid smoke

SECTION 11: TOXICOLOGICAL INFORMATION

Exposure routes: Inhalation, Skin Contact, Eye Contact Information on toxicological effects

Methanol (CAS# 67-56-1)

Acute toxicity *

Irritation Sensitisation

Repeated dose toxicity Developmental Toxicity Toxicity for reproduction LD50 (oral, monkey): 7000 mg/kg-bw LD0 (oral, rat): ≥ 2528 mg/kg-bw LC50 (inhal., cat, 6-hours): 43.68 mg/L LC50 (inhal., monkey, 4-hours): 52 mg/L Ingestion may damage the optic nerve. May cause dizziness and drowsiness.

May cause eye irritation. It is not a skin sensitiser.

NOAEC (2-yr. inhal., mouse): \geq 1.3 mg/L Negative. Not a specific developmental toxin. Negative. Not a specific reproductive toxin.



Mutagenicity

Negative

Carcinogenicity

NTP	IARC	ACGIH	OSHA	NIOSH
No.	No.	No.	No.	No.

Other information

* ATE (oral) = 100 mg/kg

* ATE (dermal) = 300 mg/kg

* ATE (inhalation) = 3 mg/L

*ATE = Acute Toxicity Estimate for purposes of classification

SECTION 12: ECOLOGICAL INFORMATION

Aquatic toxicity:

Methanol (CAS# 67-56-1)

Short term

Long Term

LC50 (96 hour): 15400 mg/L (Lepomis macrochirus) EC50 (48 hour): 18260 mg/L (Daphnia magna, mobility) EC50 (96 hour): 22000 mg/L (Pseudokirchnerella subcapitata)

NOEC (28 days) 446.7 mg/l (Fish) QSAR NOEC (21 days): 208 mg/l (Daphnia magna) QSAR

SECTION 13: DISPOSAL CONSIDERATIONS

Waste treatment methods

Disposal should be in accordance with local, state or national legislation. Consult an accredited waste disposal contractor or the local authority for advice.

SECTION 14: TRANSPORT INFORMATION

	<u>U.S. DOT</u>	Sea transport <u>(IMDG)</u>	Air transport <u>(ICAO/IATA)</u>
UN number	1950	1950	1950
Proper Shipping Name	Aerosols, flammable	Aerosols, flammable	Aerosols, flammable
Transport hazard class(es)	2.1	2.1	2.1
Packing group	Not applicable	Not applicable	Not applicable
Environmental hazards	None assigned	None assigned	None assigned
Special precautions for user	None assigned	None assigned	None assigned

Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code: Not applicable

SECTION 15: REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture:

TSCA (Toxic Substance Control Act) - Inventory Status: All components listed or polymer exempt.

Designated Hazardous Substances and Reportable Quantities (40 CFR 302.4):

Chemical Name	CAS No.	Typical %wt.	RQ (Pounds)
Methanol	67-56-1	30 - 60	5000
Ethylene Glycol	107-21-1	2 - 10	5000

SARA 311/312 - Hazard Categories:

Fire

Sudden Release Reactivity Immediate (acute)

Chronic (delayed)

SARA 313 - Toxic Chemicals (40 CFR 372):

Chemical Name	CAS No.	Typical %wt.
Methanol	67-56-1	30 - 60



ICE BLASTER

Ethylene Glycol		107-21-1	2 - 10			
SARA 302 - Extremely Hazardous Substances(40 CFR 355):						
Chemical Name	CAS No.	Typical %wt.	TPQ (pounds)			
None						
California Proposition 65 List:						
Chemical Name	CAS No.	Type of	Toxicity			
Methanol	67-56-1	Developmental				

SECTION 16: OTHER INFORMATION

The following sections contain revisions or new statements: 1-16.

Date of preparation: August 20,2021

Hazard Statement(s) and Risk Phrases Listed in: SECTION 2:/ SECTION 3:

Hazard Statement(s)

- H225: Highly flammable liquid and vapour.
- H226: Flammable liquid and vapour.
- H280: Contains gas under pressure; may explode if heated.
- H301: Toxic if swallowed.
- H302: Harmful if swallowed.
- H311: Toxic in contact with skin.
- H331: Toxic if inhaled.
- H370: Causes damage to organs:
- H373: May cause damage to organs through prolonged or repeated exposure.

Training advice: None.

Disclaimer: We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information contained in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. It is the user's responsibility to satisfy oneself as to the suitability and completeness of this information for the user's own particular use.